BIS & ISO-9001-2015 registered company

WIZ LED

RR GROUP

Zindagi Roshan Karde

BIS & ISO-9001-2015 registered company

WIIZ®

Lights & Electricals LLP

Zindagi Roshan Karde

Our company **WIIZ lights and Electricals LLP** is a flagship company of **RED ROSE GROUP** - a diversified & trusted group of South India.

Ours is a BIS & ISO-9001-2015 registered company. We have our new & modern Factory at Mankhal IDA, Hyderabad, Telangana State.

We have an extensive experience in the UAE, KSA, OMAN, EGYPT, QATAR and KUWAIT markets. Now we bring our international experience and expertise to Indian lights Market.

We have INDOOR, OUTDOOR and SPECIAL products for PROJECTS. Our company has capacity to supply special requirement LED products customized to needs of all kinds of projects.

All our products are known for the quality and value for money by the consumers.

Our company has a Quality Control Lab, which presides over the quality decisions pertaining to purchase of raw materials, ongoing processing of the materials and packaged material for the market release. We have a dedicated after sales service.

The improvement on the quality front is an ongoing process.

We are happy, not only by the growth of our company in various international markets, but also by the growth and prosperity of all our partners and satisfaction of our customers.

WIIZ Slim Round Panel Light

Panel Light

WIIZ Slim Round Panel Specifications

Model No.	Power Factor	Input Voltage	LED Type	Power	Lumin	Size	Colour	IP Grade
WIIZ-PL-RND-3W	PF ≥0.6	AC85-265V	SMD2835	3W	≥60 LM/W	Φ85 / Φ75 mm	WH/WW/NW	IP20
WIIZ-PL-RND-6W	PF ≥0.95	AC85-265V	SMD2835	6W	≥90 LM/W	Φ120 / Φ110 mm	WH/WW/NW	IP20
WIIZ-PL-RND-9W	PF ≥0.95	AC85-265V	SMD2835	9W	≥90 LM/W	Φ150 / Φ135 mm	WH/WW/NW	IP20
WIIZ-PL-RND-12W	PF ≥0.95	AC85-265V	SMD2835	12W	≥90 LM/W	Φ170 / Φ155 mm	WH/WW/NW	IP20
WIIZ-PL-RND-15W	PF ≥0.95	AC85-265V	SMD2835	15W	≥90 LM/W	Φ190 / Φ175 mm	WH/WW/NW	IP20
WIIZ-PL-RND-18W	PF ≥0.95	AC85-265V	SMD2835	18W	≥90 LM/W	Φ225 / Φ210 mm	WH/WW/NW	IP20
WIIZ-PL-RND-24W	PF ≥0.95	AC85-265V	SMD2835	24W	≥90 LM/W	Φ300 / Φ285 mm	WH/WW/NW	IP20

WIIZ Slim Square Panel Light

Panel Light

WIIZ Slim Square Panel Specifications

Model No.	Power Factor	Input Voltage	LED Type	Power	Lumin	Size	Colour	IP Grade
WIIZ-PL-SQ-6W	PF ≥0.92	AC85-265V	SMD2835	6W	≥80 LM/W	120*120/90*90 mm	WH/WW/NW	IP20
WIIZ-PL-SQ-8W	PF ≥0.95	AC85-265V	SMD2835	8W	≥90 LM/W	120*120/90*90 mm	WH/WW/NW	IP20
WIIZ-PL-SQ-12W	PF ≥0.95	AC85-265V	SMD2835	12W	≥90 LM/W	170*170/150*155 mm	WH/WW/NW	IP20
WIIZ-PL-SQ-18W	PF ≥0.95	AC85-265V	SMD2835	18W	≥90 LM/W	225*225/210*210 mm	WH/WW/NW	IP20
WIIZ-PL-SQ-24W	PF ≥0.95	AC85-265V	SMD2835	24W	≥90 LM/W	300*300/285*285 mm	WH/WW/NW	IP20

Big Panel Light



WIIZ Big Slim Square Panel Specifications

Model No.	Power Factor	Input Voltage	LED Type	Power	Lumin	Size	Colour	IP Grade
WIIZ-PL6060-SL-40WH	PF ≥0.95	AC85-265V	SMD2835	40W	≥100 LM/W	600*600 mm	WH/WW	IP20
WIIZ-PL6060-SL-48WH	PF ≥0.95	AC85-265V	SMD2835	48W	≥100 LM/W	600*600 mm	WH/WW	IP20
WIIZ-PL6060-SL-60WH	PF ≥0.95	AC85-265V	SMD2835	60W	≥100 LM/W	600*600 mm	WH/WW	IP20
WIIZ-PL3030-SL-20WH	PF ≥0.95	AC85-265V	SMD2835	20W	≥90 LM/W	300*300 mm	WH/WW	IP20

Big Panel Light



WIIZ Big Slim Square Panel Specifications

Model No.	Power Factor	Input Voltage	LED Type	Power	Lumin	Size	Colour	IP Grade
WIIZ-PL3030-SL-24WH	PF ≥0.95	AC85-265V	SMD2835	24W	≥80 LM/W	300*600 mm	WH/WW	IP20
WIIZ-PL30120-SL-48WH	PF ≥0.95	AC85-265V	SMD2835	48W	≥90 LM/W	300*1200 mm	WH/WW	IP20
WIIZ-PL6060-SL-72WH	PF ≥0.95	AC85-265V	SMD2835	72W	≥90 LM/W	600*1200 mm	WH/WW	IP20

Down Lights

Down Lights

WIIZ Down Light Specifications

Model No.	Chip Brand	Power Factor	Input Voltage	LED Type	Power	Lumin	Size	Cut Size Hole	Colour	IP Grade
WIIZ-DL-1503-7W	BRIDGELUX	PF ≥0.90	AC85-265V	COB	7W	≥90 LM/W	105*65 mm	90 mm	WH/WW/NW	IP20
WIIZ-DL-1503-10W	BRIDGELUX	PF ≥0.90	AC85-265V	COB	10W	≥90 LM/W	130*80 mm	115 mm	WH/WW/NW	IP20
WIIZ-DL-1503-15W	BRIDGELUX	PF ≥0.90	AC85-265V	COB	15W	≥90 LM/W	170*105 mm	150 mm	WH/WW/NW	IP20
WIIZ-DL-1503-20W	BRIDGELUX	PF ≥0.90	AC85-265V	COB	20W	≥90 LM/W	200*110 mm	180 mm	WH/WW/NW	IP20
WIIZ-DL-1503-30W	BRIDGELUX	PF ≥0.90	AC85-265V	COB	30W	≥90 LM/W	235*115 mm	220 mm	WH/WW/NW	IP20

Down Lights

WIIZ Down Light Specifications

Model No.	Chip Brand	Power Factor	Input Voltage	LED Type	Power	Lumin	Size	Cut Size Hole	Colour	IP Grade
WIIZ-DL-1510-7W	BRIDGELUX	PF ≥0.90	AC85-265V	COB	7W	≥90 LM/W	118*60 mm	90 mm	WH/WW/NW	IP20
WIIZ-DL-1510-10W	BRIDGELUX	PF ≥0.90	AC85-265V	COB	10W	≥90 LM/W	145*75 mm	120 mm	WH/WW/NW	IP20
WIIZ-DL-1510-15W	BRIDGELUX	PF ≥0.90	AC85-265V	COB	15W	≥90 LM/W	170*85 mm	145 mm	WH/WW/NW	IP20
WIIZ-DL-1510-20W	BRIDGELUX	PF ≥0.90	AC85-265V	COB	20W	≥90 LM/W	190*55 mm	160 mm	WH/WW/NW	IP20
WIIZ-DL-1510-30W	BRIDGELUX	PF ≥0.90	AC85-265V	COB	30W	≥90 LM/W	230*105 mm	200 mm	WH/WW/NW	IP20

WIIZ Down Light Specifications

Model No.	Chip Brand	Power Factor	Input Voltage	LED Type	Power	Lumin	Size	Cut Size Hole	Colour	IP Grade
WIIZ-DL-1516-15W	BRIDGELUX	PF ≥0.90	AC85-265V	COB	15W	≥90 LM/W	130*130*73 mm	110*110 mm	WH/WW/NW	IP20
WIIZ-DL-1516-20W	BRIDGELUX	PF ≥0.90	AC85-265V	COB	20W	≥90 LM/W	165*165*73 mm	145*145 mm	WH/WW/NW	IP20
WIIZ-DL-1516-30W	BRIDGELUX	PF ≥0.90	AC85-265V	COB	30W	≥90 LM/W	235*115 mm	190*190 mm	WH/WW/NW	IP20

T5 Batten

WIIZ-T5-SQPC-18W Specifications

Model No.	Chip Brand	Power Factor	Input Voltage	LED Type	Power	Lumin	Size	Colour	IP Grade
WIIZ-T5-SQPC-18W	EPISTAR	PF ≥0.95	AC85-265V	SMD2835	18W	≥115 LM/W	4 FEET	WH/WW/NW	IP20
WIIZ-T5-SQPC-9W	EPISTAR	PF ≥0.95	AC85-265V	SMD2835	9W	≥115 LM/W	2 FEET	WH/WW/NW	IP20

Track Lights

Track Lights

WIIZ-TL1024

WIIZ-TL1068

WIIZ-TL1108

WIIZ-TL1071

WIIZ-TL1095

WIIZ-TL1072

WIIZ-TL1097

WIIZ Track Light Specifications

Model No.	Chip Brand	Colour	Voltage	Lumin	CRI
WIIZ-TL1068	BRIDGELUX	WH/WW/NW	AC85-265V 50-60 HZ	≥100 LM/W	≥80
WIIZ-TL1072	BRIDGELUX	WH/WW/NW	AC85-265V 50-60 HZ	≥100 LM/W	≥80
WIIZ-TL1108	BRIDGELUX	WH/WW/NW	AC85-265V 50-60 HZ	≥100 LM/W	≥80
WIIZ-TL1071	BRIDGELUX	WH/WW/NW	AC85-265V 50-60 HZ	≥100 LM/W	≥80
WIIZ-TL1024	BRIDGELUX	WH/WW/NW	AC85-265V 50-60 HZ	≥100 LM/W	≥80
WIIZ-TL1097	BRIDGELUX	WH/WW/NW	AC85-265V 50-60 HZ	≥100 LM/W	≥80
WIIZ-TL1095	BRIDGELUX	WH/WW/NW	AC85-265V 50-60 HZ	≥100 LM/W	≥80

Available Power 24W-30W & 40W

Flood Lights

WIIZ COB_FLOOD LIGHT Specifications

Model No.	Chip Brand	Power Factor	Input Voltage	LED Type	Power	Lumin	Size	Colour	IP Grade
WIIZ-FL1-20W	Epistar	PF ≥0.9	AC85-265V	COB33*33	20W	≥80 LM/W	205*60*165 mm	WH/WW	IP66
WIIZ-FL1-30W	Epistar	PF ≥0.9	AC85-265V	COB33*33	30W	≥80 LM/W	245*66*210 mm	WH/WW	IP66
WIIZ-FL1-50W	Epistar	PF ≥0.9	AC85-265V	COB33*33	50W	≥90 LM/W	305*85*255 mm	WH/WW	IP66
WIIZ-FL1-100W	Epistar	PF ≥0.9	AC85-265V	COB33*33	100W	≥90 LM/W	305*85*255 mm	WH/WW	IP66
WIIZ-FL1-150W	Epistar	PF ≥0.9	AC85-265V	COB33*33	150W	≥90 LM/W	425*330*95 mm	WH/WW	IP66
WIIZ-FL1-200W	Epistar	PF ≥0.9	AC85-265V	COB33*33	200W	≥90 LM/W	425*330*95 mm	WH/WW	IP66
WIIZ-FL1-300W	Epistar	PF ≥0.9	AC85-265V	COB33*33	300W	≥90 LM/W	530*355*110 mm	WH/WW	IP66
WIIZ-FL1-400W	Epistar	PF ≥0.9	AC85-265V	COB33*33	400W	≥90 LM/W	635*365*110 mm	WH/WW	IP66

WIIZ SMD_FLOOD LIGHT Specifications

Model No.	Chip Brand	Power Factor	Input Voltage	LED Type	Power	Lumin	Size	Colour	IP Grade
WIIZ-FL2-20W	Epistar	PF ≥0.9	AC85-265V	SMD5730	20W	≥85 LM/W	205*60*165 mm	WH/WW	IP66
WIIZ-FL2-30W	Epistar	PF ≥0.9	AC85-265V	SMD5730	30W	≥100 LM/W	245*66*210 mm	WH/WW	IP66
WIIZ-FL2-50W	Epistar	PF ≥0.9	AC85-265V	SMD5730	50W	≥100 LM/W	305*85*255 mm	WH/WW	IP66
WIIZ-FL2-100W	Epistar	PF ≥0.9	AC85-265V	SMD5730	100W	≥100 LM/W	305*85*255 mm	WH/WW	IP66
WIIZ-FL2-150W	Epistar	PF ≥0.9	AC85-265V	SMD5730	150W	≥100 LM/W	425*330*95 mm	WH/WW	IP66
WIIZ-FL2-200W	Epistar	PF ≥0.9	AC85-265V	SMD5730	200W	≥100 LM/W	425*330*95 mm	WH/WW	IP66
WIIZ-FL2-300W	Epistar	PF ≥0.9	AC85-265V	SMD5730	300W	≥100 LM/W	530*355*110 mm	WH/WW	IP66
WIIZ-FL2-400W	Epistar	PF ≥0.9	AC85-265V	SMD5730	400W	≥100 LM/W	635*365*110 mm	WH/WW	IP66

WIIZ-MFL-100W__COB_FLOOD LIGHT Specifications

Model No.	Chip Brand	Power Factor	Input Voltage	LED Type	Power	Lumin	Size	Colour	IP Grade
WIIZ-MFL1-100W	Bridgelux	PF ≥0.95	AC85-265V	COB	100W	≥150 LM/W	180*290*130 mm	6500K	IP67

WIIZ-MFL-150W__COB_FLOOD LIGHT Specifications

Model No.	Chip Brand	Power Factor	Input Voltage	LED Type	Power	Lumin	Size	Colour	IP Grade
WIIZ-MFL1-150W	Bridgelux	PF ≥0.95	AC85-265V	COB	150W	≥150 LM/W	270*290*130 mm	6500K	IP67

WIIZ-MFL2-100W-SMD Specifications

WIIZ-MFL2-150W-SMD Specifications

Model No.	Power Factor	Input Voltage	LED Type	Power	Lumin	Size	Colour	IP Grade
WIIZ-MFL2-100W	PF ≥0.95	AC85-265V	SMD 3030	100W	≥120 LM/W	180*290*130 mm	6500K	IP67
WIIZ-MFL2-150W	PF ≥0.95	AC85-265V	SMD 3030	150W	≥120 LM/W	270*290*130 mm	6500K	IP67

WIIZ-MFL3-100W-SMD2 Specifications

WIIZ-MFL3-150W-SMD2 Specifications

Model No.	Power Factor	Input Voltage	LED Type	Power	Lumin	Size	Colour	IP Grade
WIIZ-MFL3-100W-SMD2	PF ≥0.95	AC85-265V	SMD 3030	100W	≥120 LM/W	180*290*130 mm	6500K	IP67
WIIZ-MFL3-150W-SMD2	PF ≥0.95	AC85-265V	SMD 3030	150W	≥120 LM/W	270*290*130 mm	6500K	IP67

High Bay Light

High Bay Light

WIIZ-HB1-Specifications

Model No.	Chip Brand	Power Factor	Input Voltage	LED Type	Power	Lumin	Size	Colour	IP Grade
WIIZ-HB1-50W	Epistar	PF ≥0.95	AC85-265V	SMD 3030	50W	≥120 LM/W	410*320 mm	6500K	IP44
WIIZ-HB1-100W	Epistar	PF ≥0.95	AC85-265V	SMD 3030	100W	≥120 LM/W	410*370 mm	6500K	IP44
WIIZ-HB1-150W	Epistar	PF ≥0.95	AC85-265V	SMD 3030	150W	≥120 LM/W	410*440 mm	6500K	IP44
WIIZ-HB1-200W	Epistar	PF ≥0.95	AC85-265V	SMD2835	200W	≥120 LM/W	410*500 mm	6500K	IP44

High Bay Light

WIIZ-HB2-Specifications

Model No.	Power Factor	Input Voltage	LED Type	Power	Lumin	Size	Colour	IP Grade
WIIZ-HB2-50W	PF ≥0.95	AC85-265V	SMD 3030	50W	≥120 LM/W	285*290 mm	6500K	IP65
WIIZ-HB2-100W	PF ≥0.95	AC85-265V	SMD 3030	100W	≥120 LM/W	285*290 mm	6500K	IP65
WIIZ-HB2-150W	PF ≥0.95	AC85-265V	SMD 3030	150W	≥120 LM/W	285*290 mm	6500K	IP65
WIIZ-HB2-200W	PF ≥0.95	AC85-265V	SMD2835	200W	≥120 LM/W	285*290 mm	6500K	IP65

WIIZ-Excelcia-162W-RGB

Model No.	Chip Brand	Power Factor	Input Voltage	LED Type	Power	Lumin	Size	Colour	IP Grade
WIIZ-Excelcia-162W-RGB	Epistar	PF ≥0.93	AC110-220V	3W High High Power Chip	180W	≥39 LM/W	265*220*300 mm	6500K	IP66

Rope Light

Rope Light

WIIZ-ROPE-HL2835-60L Specifications

Model No.	Chip Brand	Input Voltage	LED Type	Power/ Meter	Lumin	Colour	IP Grade
WIIZ-ROPE-HL2835-60L	SANAN	AC220V	SMD 2835	8W	≥22 LM/W	WH/WW	IP44

WIIZ-ROPE-HL2835-180L Specifications

Model No.	Chip Brand	Input Voltage	LED Type	Power/ Meter	Lumin	Colour	IP Grade
WIIZ-ROPE-HL2835-180L	SANAN	AC220V	SMD 2835	12W	≥22 LM/W	WH/WW	IP44

WIIZ-ROPE-HL2835-276L Specifications

Model No.	Chip Brand	Input Voltage	LED Type	Power/ Meter	Lumin	Colour	IP Grade
WIIZ-ROPE-HL2835-276L	SANAN	AC220V	SMD 2835	18W	≥22 LM/W	WH/WW	IP44

WIIZ-ROPE-HL-5050-60L Specifications

Model No.	Chip Brand	Input Voltage	LED Type	Power/ Meter	Lumin	Colour	IP Grade
WIIZ-ROPE-HL5050-60L	SANAN	AC220V	SMD 2835	10W	≥20 LM/W	WH/WW	IP44

WIIZ-ROPE-HL3014-240L Specifications

Model No.	Chip Brand	Input Voltage	LED Type	Power/ Meter	Lumin	Colour	IP Grade
WIIZ-ROPE-HL3014-240L	SANAN	AC220V	SMD 5050	13W	≥10 LM/W	WH/WW	IP44

Strip Light

Strip Light

WIIZ-STRIP-HL5050-60L Specifications

Model No.	Chip Brand	Input Voltage	LED Type	Power/ Meter	Lumin	Colour	IP Grade
WIIZ-STRIP-HL5050-60L	SANAN	DC12V	SMD 5050	6W	≥10 LM/W	WH/WW	IP20

WIIZ-STRIP-HL2835-60L Specifications

Model No.	Chip Brand	Input Voltage	LED Type	Power/ Meter	Lumin	Colour	IP Grade
WIIZ-STRIP-HL2835-60L	SANAN	DC12V	SMD 2835	4W	≥7 LM/W	WH/WW	IP20

WIIZ-STRIP-HL5050-60L specifications

Model No.	Chip Brand	Input Voltage	LED Type	Power/ Meter	Lumin	Colour	IP Grade
WIIZ-STRIP-HL5050-60L	SANAN	DC12V	SMD 5050	10W	≥20 LM/W	WH/WW	IP20

WIIZ-STRIP-HL2835-60L Specifications

Model No.	Chip Brand	Input Voltage	LED Type	Power/ Meter	Lumin	Colour	IP Grade
WIIZ-STRIP-HL2835-60L	SANAN	DC12V	SMD 2835	8W	≥22 LM/W	WH/WW	IP20



WIIZ-PS-40-12V Specifications

Model No.	Input Voltage	Power	Size	IP Grade
WIIZ-PS-40-12V	AC85-265V	40W	110*78*36 mm	IP20

WIIZ-PS-80-12V Specifications

Model No.	Input Voltage	Power	Size	IP Grade
WIIZ-PS-80-12V	AC85-265V	80W	159*98*42 mm	IP20

WIIZ-PS-150-12V Specifications

Model No.	Input Voltage	Power	Size	IP Grade
WIIZ-PS-150-12V	AC85-265V	150W	198*98*42 mm	IP20

WIIZ-PS-250-12V specifications

Model No.	Input Voltage	Power	Size	IP Grade
WIIZ-PS-250-12V	AC110-220V	250W	198*110*50 mm	IP20

WIIZ-PS-350-12V Specifications

Model No.	Input Voltage	Power	Size	IP Grade
WIIZ-PS-350-12V	AC110-220V	350W	215*115*50 mm	IP20

WIIZ-PS-450-12V Specifications

Model No.	Input Voltage	Power	Size	IP Grade
WIIZ-PS-450-12V	AC110-220V	450W	215*115*50 mm	IP20

Street Light

Street Light

WIIZ-STRTL-01-Specifications

Model No.	Material	Chip Brand	Voltage	HERTZ	Power	HOLDER SIZE	Lumin	Colour	IP Grade	NW	SIZE	SURGE PROTECTION	LIGHTENING PROTECTION
WIIZ-STRTL1-30W	DIECAST Aluminium + Glass Reflector	CREE3030 30 PCS	AC85-265V	50-60Hz	30W	52MM	≥105 LM/W	WH/WW/NW	IP65	1.2 KG	450*200*75	6KV	NO
WIIZ-STRTL1-40W	DIECAST Aluminium + Glass Reflector	CREE3030 40 PCS	AC85-265V	50-60Hz	40W	42MM	≥105 LM/W	WH/WW/NW	IP65	1.5 KG	350*150*55	10KV	YES
WIIZ-STRTL1-50W	DIECAST Aluminium + Glass Reflector	CREE3030 45 PCS	AC85-265V	50-60Hz	50W	52MM	≥105 LM/W	WH/WW/NW	IP65	1.5 KG	490*215*75	10KV	YES
WIIZ-STRTL1-60W	DIECAST Aluminium + Glass Reflector	CREE3030 49 PCS	AC85-265V	50-60Hz	60W	62MM	≥105 LM/W	WH/WW/NW	IP65	2.6 KG	620*260*75	10KV	YES
WIIZ-STRTL1-80W	DIECAST Aluminium + Glass Reflector	CREE3030 80 PCS	AC85-265V	50-60Hz	80W	62MM	≥105 LM/W	WH/WW/NW	IP65	3 KG	620*260*75	10KV	YES
WIIZ-STRTL1-100W	DIECAST Aluminium + Glass Reflector	CREE3030 90 PCS	AC85-265V	50-60Hz	100W	62MM	≥105 LM/W	WH/WW/NW	IP65	3.6 KG	720*260*95	10KV	YES
WIIZ-STRTL1-150W	DIECAST Aluminium + Glass Reflector	CREE3030 135 PCS	AC85-265V	50-60Hz	150W	62MM	≥105 LM/W	WH/WW/NW	IP65	6.7 KG	950*350*95	10KV	YES
WIIZ-STRTL1-200W	DIECAST Aluminium + Glass Reflector	CREE3030 180 PCS	AC85-265V	50-60Hz	200W	62MM	≥105 LM/W	WH/WW/NW	IP65	7 KG	950*350*95	10KV	YES

Street Light

WIIZ-STRTL-02-Specifications

Model No.	Material	Chip Brand	Voltage	HERTZ	Power	HOLDER SIZE	Lumin	Colour	IP Grade	NW	SIZE	SURGE PROTECTION	LIGHTENING PROTECTION
WIIZ-STRTL2-30W	DIECAST Aluminium + Glass Reflector	CREE3030 30 PCS	AC85-265V	50-60Hz	30W	42MM	≥105 LM/W	WH/WW/NW	IP65	1.2 KG	310*150*75	6KV	NO
WIIZ-STRTL2-50W	DIECAST Aluminium + Glass Reflector	CREE3030 50 PCS	AC85-265V	50-60Hz	50W	62MM	≥105 LM/W	WH/WW/NW	IP65	2.1 KG	480*230*110	10KV	YES
WIIZ-STRTL2-100W	DIECAST Aluminium + Glass Reflector	CREE3030 100 PCS	AC85-265V	50-60Hz	100W	62MM	≥105 LM/W	WH/WW/NW	IP65	3 KG	630*260*95	10KV	YES

BIS & ISO-9001-2015 registered company

WIIZ®

Lights & Electricals LLP

Marketing Office : Plot No. 21A, Film Nagar, Jubilee Hills, Hyderabad-500 033, Telangana State, India.
Ph.No.: **+91-40-23378000 / +91-40-23379000** E-Mail : info@wiiz.in

Factory : Plot No.23, Industrial Park IDA Mankhal, RR District, Hyderabad, Telangana State, India.